




WAYTEK

Butt Connectors



Non-insulated



Insulated

Non-insulated

Butted Seam

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30060	22-18	0.58
31060	16-14	0.58
32060	12-10	0.58

Brazed Seam

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30260	22-18	0.675
31260	16-14	0.675
32260	12-10	0.83
33060	8	0.81
34060	6	1.04
35060	4	1.15

Seamless

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
35061	2	1.28
35063	1/0	1.44
35064	2/0	1.44
3565	3/0	1.54
35066	4/0	1.54

Insulated


Vinyl

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30560	22-18	0.96
31560	16-14	0.975
32560	12-10	1.135
33560	8	1.51
34560	6	1.855
35560	4	2.036



WAYTEK

Butt Connectors



Non-insulated



Insulated

Insulated

Nylon

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30760	22-18	1.07
31760	16-14	1.07
32760	12-10	1.15

Moisture Resistant

Nylon

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30771	20-18	1
31771	16-14	1
32771	12-10	1.15

Window Butt Splice Nylon Insulated

Splice Nylon Insulated /Extra Sleeve

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30781	20-18	1.26
31781	16-14	1.26
32781	12-10	1.62

Nylon Insulated w/Extra Sleeve


Nylon w/Extra Sleeve

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30780	20-18	1
31780	16-14	1
32780	12-10	1.15




WAYTEK

Butt Connectors



Non-insulated



Insulated

Step Down Butt Connector

Non-Insulated

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
38054	22-18 to 16-14	0.675
38055	16-14 to 12-10	0.827
38056	12-10 to 8	0.854

Vinyl Insulated

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
38050	22-18 to 16-14	1.08
38051	16-14 to 12-10	1.3
38052	12-10 to 8	1.5

Perma-Seal Butt Connectors

Molex Perma-Seal Connectors

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30980	22-18	
31980	16-14	
32980	12-10	
33980	8	

Perma-Seal Step Down Butt Connectors

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
38058	22-18 to 16-14	1.5
38059	16-14 to 12-10	1.7

Heat Shrink Covered Butt Connectors


Heat Shrink Tubing Over Seamless Non-Insulated

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30965	20-18	1.52
31965	16-14	1.56
32965	12-10	1.74



WAYTEK

Butt Connectors



Non-insulated



Insulated

Solder Splice Connector

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30967	26-24	
30966	22-18	
31966	16-14	
32966	12-10	

Multilink Connectors

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30970	20-18	
31970	16-14	
32970	12-10	

Hydralink Connectors

Hydralink in-line butt connector for multiple wires

<u>Part No.</u>	<u>Wire Gauge</u>	<u>Length</u>
30190	(1) 24-22 or (2) 24-22	
30990	(1) 20-18 or (2) 20-18	
31990	(1) 16-14 or (2) 16-14	
32990	(1) 12-10 or (2) 12-10	

Dimensions listed are a guide only and may not be exact. Dimensions may also change without notice. While efforts have been made to ensure the terminal dimensions listed are accurate, Waytek, Inc. does not warrant the accuracy of information included herein.